

2024年度焼却炉(クリーンZ炉)整備記録


| | 月 | 停止日 | 整備内容 |
|-------|-----|---------|----------------|
| 2024年 | 4月 | 18日 | 排ガス道錆付き除去・設備点検 |
| | 5月 | 8日～31日 | 定修 |
| | 6月 | 1日～5日 | 定修 |
| | 7月 | 1日～5日 | 排ガス道錆付き除去・設備点検 |
| | 8月 | 5日～8日 | 排ガス道錆付き除去・設備点検 |
| | 9月 | 2日～5日 | 排ガス道錆付き除去・設備点検 |
| | 10月 | 15日～18日 | 排ガス道錆付き除去・設備点検 |
| | 11月 | 18日～21日 | 排ガス道錆付き除去・設備点検 |
| | 12月 | | |
| 2025年 | 1月 | | |
| | 2月 | | |
| | 3月 | | |

2024年度 焼却炉(クリーンZ炉)
種類ごとの廃棄物処理量

単位:トン

| 区分 | 廃棄物の種類 | 2024年度 | | | | | | | | | | | | 合計 |
|-----------|----------------|------------|--------------|--------------|--------------|--------------|--------------|----------------|------------|------------|------------|------------|----------------|---------|
| | | 4月 | 5月 | 6月 | 7月 | 8月 | 9月 | 10月 | 11月 | 12月 | 1月 | 2月 | 3月 | |
| 産業廃棄物 | 汚泥 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 |
| | 廃油 | 64.5 | 0.0 | 84.7 | 12.8 | 49.3 | 30.7 | 38.5 | 36.2 | 0.0 | 0.0 | 0.0 | 0.0 | 316.7 |
| | 廃プラスチック類 | 1.4 | 0.0 | 3.9 | 1.2 | 3.6 | 3.7 | 1.4 | 3.5 | 0.0 | 0.0 | 0.0 | 0.0 | 18.8 |
| | 金属屑 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | 木くず | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.0 | 0.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 |
| | 廃酸 | 50.5 | 0.0 | 13.0 | 133.9 | 86.4 | 49.4 | 65.6 | 115.7 | 0.0 | 0.0 | 0.0 | 0.0 | 514.5 |
| | 廃アルカリ | 475.9 | 0.0 | 81.3 | 294.9 | 320.0 | 192.1 | 243.3 | 353.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1,960.4 |
| | 燃えがら | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | 592.3 | 0.0 | 183.0 | 442.8 | 459.2 | 276.2 | 348.8 | 510.3 | 0.0 | 0.0 | 0.0 | 0.0 | 2,812.6 | |
| 特別管理産業廃棄物 | 汚泥(有害) | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | 廃油(引火性) | 19.3 | 0.0 | 11.3 | 38.7 | 10.9 | 0.0 | 11.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 91.3 |
| | 廃油(有害) | 18.7 | 0.0 | 63.7 | 18.4 | 83.8 | 35.2 | 63.5 | 47.1 | 0.0 | 0.0 | 0.0 | 0.0 | 330.4 |
| | 燃えがら(有害) | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | 廃酸(強酸) | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | 廃酸(有害) | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | 廃アルカリ(強アルカリ) | 18.7 | 0.0 | 86.1 | 126.0 | 126.1 | 180.3 | 200.5 | 149.2 | 0.0 | 0.0 | 0.0 | 0.0 | 886.9 |
| 廃アルカリ(有害) | 423.1 | 0.0 | 261.3 | 167.8 | 62.8 | 270.7 | 369.7 | 343.3 | 0.0 | 0.0 | 0.0 | 0.0 | 1,898.6 | |
| | 479.7 | 0.0 | 422.4 | 350.8 | 283.5 | 486.2 | 644.9 | 539.6 | 0.0 | 0.0 | 0.0 | 0.0 | 3,207.1 | |
| 合計 | 1,072.1 | 0.0 | 605.4 | 793.6 | 742.7 | 762.3 | 993.7 | 1,049.9 | 0.0 | 0.0 | 0.0 | 0.0 | 6,019.7 | |


焼却炉(クリーンZ炉)位置



前処理施設

焼却炉
(クリーンZ炉)

焼却炉（クリーンZ炉）排ガス処理設備配置図



法基準及び届出値一覧表(大気)

(大雄院)

| 施設名 | 法上のばい煙発生施設 | ※1 | 排出ガス量 m ³ /h-wet | いおう酸化物 ^{※3} m ³ N/h | 窒素酸化物 ppm | ばいじん g/m ³ N | 塩化水素 mg/m ³ N | 鉛 mg/m ³ N | カドミウム mg/m ³ N | 水銀 μg/m ³ N | ダイオキシン ng-TEQ/m ³ N |
|-----|--------------------|-------|--------------------------------|--|--------------|----------------------------|-----------------------------|--------------------------|------------------------------|---------------------------|-----------------------------------|
| Z炉 | 14(銅、鉛、亜鉛の精錬用)ばい焼炉 | 排出基準 | - | 8.62(7.66) | 220(250) | 0.1(0.08) | (700) | 10 | 1 | 400 | 1 |
| | | 届出値最大 | 75,420 | 2.0 | 140 | 0.02 | - | 5 | 0.1 | - | 1 |
| | | 届出値通常 | 75,420 | 0.4 | 97 | 0.02 | - | 1 | 0.01 | 1.9~296 | 0.1 |
| | | On | - | - | 14(12) | -(12) | (12) | - | - | - | 12 |

水質測定記録表(大雄院)
CR-912-1

| | | | | |
|------------|---------------|------|------|------|
| 分類 | 施設名 | 測定箇所 | 測定年度 | ページ数 |
| 水質 pH以外 | 排水処理設備 大雄院 | 放流口 | 2024 | 1/2 |

| 測定年月日 | 特定施設の 使用状況 | 排水量 (m ³ /日) | 測定項目(単位:mg/l、ただし透視度は度、DXNはpg-TEQ/l) | | | | | | | | | | | | | | | | | | | | |
|-----------|---------------|----------------------------|-------------------------------------|--------|------|--------|--------|--------|------|------|-------|------|------|-------|-------|----------------|------------|-----------|------|---------|----------------|------|------|
| | | | 1回/週 | 1回/週 | 1回/週 | 1回/週 | 1回/週 | 1回/週 | 1回/週 | 1回/週 | 1回/週 | 1回/月 | 1回/週 | 1回/週 | 1回/週 | 1回/月以上 | 1回/月 | 1回/月 | 1回/月 | 1回/月 | 1回/月 | 1回/月 | 1回/年 |
| | | | Cu | Pb | Zn | Cd | As | Se | F | B | T-CN | COD | SS | BOD※1 | T-Cr | アンモニア 性窒素※2 | 亜硝酸性 窒素 | 硝酸性 窒素 | 透視度 | Hg | n-ヘキサン 抽出物質 | DXN | |
| 2024/4/3 | 通常操業 | 18,931 | 0.05 | <0.001 | 0.20 | 0.0004 | <0.001 | 0.001 | 0.3 | 0.1 | <0.01 | <1 | 7 | | | | | | | <1 | | | |
| 2024/4/10 | 通常操業 | 21,335 | 0.20 | 0.028 | 0.28 | 0.0012 | <0.001 | 0.004 | 0.8 | 0.6 | <0.01 | 1 | 8 | <1 | <0.01 | <1 | <1 | <1 | >30 | 0.0007 | | | |
| 2024/4/17 | 通常操業 | 21,624 | 0.03 | 0.006 | 0.12 | 0.0004 | <0.001 | 0.002 | 0.5 | 0.4 | <0.01 | 1 | 5 | | | | | | | | | | |
| 2024/4/25 | 通常操業 | 20,903 | 0.13 | 0.012 | 0.25 | 0.0008 | <0.001 | 0.002 | 0.7 | 0.4 | <0.01 | <1 | 6 | | | | | | | | 0.23 | | |
| 2024/5/8 | 通常操業 | 18,665 | 0.08 | <0.001 | 0.28 | 0.0005 | <0.001 | 0.001 | 0.3 | <0.1 | <0.01 | 1 | 6 | <1 | <0.01 | <1 | <1 | <1 | >30 | <0.0005 | | | |
| 2024/5/15 | 通常操業 | 20,813 | 0.12 | <0.001 | 0.31 | 0.0006 | <0.001 | 0.002 | 0.3 | <0.1 | <0.01 | <1 | 7 | | | | | | | | | | |
| 2024/5/22 | 通常操業 | 20,421 | 0.11 | <0.001 | 0.30 | 0.0005 | <0.001 | <0.001 | 0.3 | <0.1 | <0.01 | <1 | 7 | 2 | | | | | | | | | |
| 2024/5/29 | 通常操業 | 19,701 | 0.12 | 0.005 | 0.38 | 0.0028 | 0.001 | 0.001 | 0.3 | <0.1 | <0.01 | 1 | 7 | | | | | | | | <1 | | |
| 2024/6/5 | 通常操業 | 20,335 | 0.08 | 0.001 | 0.24 | 0.0004 | <0.001 | <0.001 | 0.3 | <0.1 | <0.01 | 1 | 6 | | | | | | | | <1 | | |
| 2024/6/12 | 通常操業 | 20,058 | 0.07 | <0.001 | 0.23 | 0.0003 | <0.001 | <0.001 | 0.3 | <0.1 | <0.01 | 3 | 5 | 6 | <0.01 | <1 | <1 | <1 | >30 | <0.0005 | | | |
| 2024/6/19 | 通常操業 | 21,048 | 0.06 | 0.002 | 0.22 | 0.0004 | <0.001 | 0.001 | 0.5 | 0.4 | <0.01 | <1 | 6 | | | | | | | | | | |
| 2024/6/26 | 通常操業 | 21,194 | 0.05 | 0.001 | 0.21 | 0.0003 | <0.001 | 0.001 | 0.6 | 0.3 | <0.01 | <1 | 5 | <1 | | | | | | | | | |
| 2024/7/3 | 通常操業 | 19,125 | 0.07 | 0.004 | 0.28 | 0.0005 | <0.001 | <0.001 | 0.3 | <0.1 | <0.01 | 1 | 8 | | | | | | | | <1 | | |
| 2024/7/10 | 通常操業 | 18,797 | 0.06 | <0.001 | 0.22 | 0.0003 | <0.001 | 0.002 | 0.5 | 0.3 | <0.01 | 2 | 5 | 1 | <0.01 | <1 | <1 | <1 | >30 | <0.0005 | | | |
| 2024/7/17 | 通常操業 | 18,149 | 0.06 | 0.003 | 0.23 | 0.0004 | <0.001 | 0.001 | 0.4 | 0.2 | <0.01 | 1 | 6 | | | | | | | | | | |
| 2024/7/24 | 通常操業 | 18,665 | 0.05 | <0.001 | 0.25 | 0.0003 | <0.001 | 0.001 | 0.6 | 0.4 | <0.01 | 1 | 6 | <1 | | | | | | | | | |
| 2024/7/31 | 通常操業 | 17,076 | 0.06 | <0.001 | 0.25 | 0.0004 | <0.001 | 0.002 | 0.7 | 0.3 | <0.01 | 1 | 5 | | | | | | | | | | |
| 2024/8/7 | 通常操業 | 16,484 | 0.06 | <0.001 | 0.30 | 0.0004 | <0.001 | 0.001 | 0.3 | <0.1 | <0.01 | 1 | 5 | | | | | | | | <1 | | |
| 2024/8/21 | 通常操業 | 18,149 | 0.04 | <0.001 | 0.22 | 0.0003 | <0.001 | <0.001 | 0.5 | 0.3 | <0.01 | 2 | 7 | <1 | <0.01 | <1 | <1 | <1 | >30 | <0.0005 | | | |
| 2024/8/28 | 通常操業 | 17,447 | 0.05 | <0.001 | 0.22 | 0.0003 | <0.001 | 0.001 | 0.6 | 0.3 | <0.01 | <1 | 5 | 1 | | | | | | | | | |
| 2024/9/4 | 通常操業 | 19,701 | 0.07 | <0.001 | 0.24 | 0.0003 | <0.001 | 0.001 | 0.3 | <0.1 | <0.01 | <1 | 5 | | | | | | | | <1 | | |
| 2024/9/11 | 通常操業 | 20,058 | 0.05 | <0.001 | 0.19 | 0.0003 | <0.001 | 0.001 | 0.7 | 0.3 | <0.01 | 1 | 5 | <1 | <0.01 | <1 | <1 | <1 | >30 | <0.0005 | | | |
| 2024/9/18 | 通常操業 | 19,517 | 0.08 | <0.001 | 0.31 | 0.0004 | <0.001 | 0.001 | 0.5 | 0.3 | <0.01 | <1 | 8 | | | | | | | | | | |
| 2024/9/25 | 通常操業 | 18,276 | 0.05 | <0.001 | 0.25 | 0.0004 | <0.001 | 0.001 | 0.7 | 0.4 | <0.01 | <1 | 6 | <1 | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | |
|-------------|-------------|--------|-----|------|-----|------|------|------|---|----|------|----|----|----|---|-----|---|-------|---|----|
| 排出基準 | 2023/9/13以降 | | 3 | 0.1 | 2 | 0.03 | 0.1 | 0.1 | 8 | 10 | 1 | 10 | 20 | 10 | 1 | 100 | - | 0.005 | 5 | 10 |
| 申請値 (最大) | | 42,475 | 1.0 | 0.08 | 1.5 | 0.02 | 0.08 | 0.08 | 6 | - | <0.1 | - | 15 | 10 | 1 | - | - | - | 5 | 10 |
| 自主基準 | | | 0.3 | 0.04 | 0.5 | 0.01 | 0.03 | 0.03 | 2 | - | 0.05 | 10 | 10 | 10 | - | - | - | - | 3 | 5 |

測定方法: JIS K0102 測定者: 技術開発センター (DXNのみ株式会社環境分析センター) 採水者: HMC製造1課員
備考: 排出基準が超過した際は、茨城県へ報告する。(県条例: 様式第9号の3 水質測定結果報告書を使用) ※1: BOD測定結果「-」は分析スケジュールにて休日の都合により測定無としているもの ※2: アンモニア性窒素に0.4を乗じた値を記載

水質測定記録表(大雄院)
CR-912-1

| | | | | |
|------------|---------------|------|------|------|
| 分類 | 施設名 | 測定箇所 | 測定年度 | ページ数 |
| 水質 pH以外 | 排水処理設備 大雄院 | 放流口 | 2024 | 2/2 |

| 測定年月日 | 特定施設の使用状況 | 排水量 (m ³ /日) | 測定項目(単位:mg/l、ただし透視度は度、DXNはpg-TEQ/l) | | | | | | | | | | | | | | | | | | | | | |
|------------|-----------|----------------------------|-------------------------------------|--------|------|--------|--------|--------|------|------|-------|------|------|-------------------|-------|------------------------|--------|-------|------|---------|------------|------|------|------|
| | | | 1回/週 | 1回/週 | 1回/週 | 1回/週 | 1回/週 | 1回/週 | 1回/週 | 1回/週 | 1回/週 | 1回/月 | 1回/週 | 1回/週 | 1回/週 | 1回/月以上 | 1回/月 | 1回/月 | 1回/月 | 1回/月 | 1回/月 | 1回/月 | 1回/月 | 1回/年 |
| | | | Cu | Pb | Zn | Cd | As | Se | F | B | T-CN | COD | SS | BOD ^{※1} | T-Cr | アンモニア性窒素 ^{※2} | 亜硝酸性窒素 | 硝酸性窒素 | 透視度 | Hg | n-ヘキサン抽出物質 | DXN | | |
| 2024/10/2 | 通常操業 | 18,023 | 0.05 | <0.001 | 0.25 | 0.0004 | <0.001 | 0.001 | 0.6 | 0.3 | <0.01 | <1 | 6 | | | | | | | | | | 1 | |
| 2024/10/9 | 通常操業 | 19,321 | 0.04 | 0.003 | 0.24 | 0.0014 | 0.002 | 0.001 | 0.9 | 0.4 | <0.01 | 1 | 6 | <1 | <0.01 | <1 | <1 | <1 | >30 | <0.0005 | | | | |
| 2024/10/16 | 通常操業 | 18,149 | 0.05 | <0.001 | 0.25 | 0.0004 | <0.001 | <0.001 | 0.3 | <0.1 | <0.01 | <1 | 5 | | | | | | | | | | | |
| 2024/10/23 | 通常操業 | 20,058 | 0.06 | <0.001 | 0.25 | 0.0003 | <0.001 | 0.002 | 0.5 | 0.3 | <0.01 | 2 | 6 | <1 | | | | | | | | | | |
| 2024/10/30 | 通常操業 | 19,615 | 0.06 | 0.001 | 0.24 | 0.0004 | <0.001 | 0.001 | 0.6 | 0.3 | <0.01 | <1 | 6 | | | | | | | | | | | |
| 2024/11/6 | 通常操業 | 20,093 | 0.08 | <0.001 | 0.28 | 0.0004 | <0.001 | <0.001 | 0.4 | 0.2 | <0.01 | <1 | 7 | | | | | | | | | <1 | | |
| 2024/11/13 | 通常操業 | 19,338 | 0.05 | <0.001 | 0.25 | 0.0004 | <0.001 | 0.001 | 0.6 | 0.3 | <0.01 | 2 | 6 | 2 | <0.01 | <1 | <1 | <1 | >30 | <0.0005 | | | | |
| 2024/11/20 | 通常操業 | 18,023 | 0.06 | <0.001 | 0.26 | 0.0003 | <0.001 | 0.001 | 0.2 | <0.1 | <0.01 | <1 | 6 | | | | | | | | | | | |
| 2024/11/27 | 通常操業 | 19,615 | 0.06 | <0.001 | 0.28 | 0.0004 | <0.001 | 0.001 | 0.3 | 0.1 | <0.01 | 1 | 6 | <1 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |

水質測定記録表(大雄院)
CR-912-1

| | | | | |
|----------|---------------|------|------|------|
| 分類 | 施設名 | 測定箇所 | 測定年度 | ページ数 |
| 水質 pH | 排水処理設備 大雄院 | 放流口 | 2024 | 1/1 |

| 測定年月日 | 測定項目:pH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------|---------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | 1回/日 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | |
| 2024年4月 | 7.5 | 7.4 | 7.5 | 7.5 | 7.5 | 7.4 | 7.4 | 7.4 | 7.4 | 7.3 | 7.5 | 7.5 | 7.4 | 7.4 | 7.4 | 7.3 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 | 7.3 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 | 7.3 | 7.3 | 7.3 | | |
| 2024年5月 | 7.3 | 7.4 | 7.4 | 7.3 | 7.4 | 7.3 | 7.3 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 | 7.5 | 7.4 | 7.5 | 7.6 | 7.5 | 7.4 | 7.5 | 7.5 | 7.4 | 7.3 | 7.3 | 7.4 | 7.3 | 7.4 | 7.3 | 7.3 | 7.3 | 7.4 | |
| 2024年6月 | 7.4 | 7.4 | 7.4 | 7.5 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 | 7.5 | 7.4 | 7.5 | 7.4 | 7.5 | 7.5 | 7.5 | 7.5 | 7.5 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 | 7.5 | 7.4 | 7.4 | |
| 2024年7月 | 7.4 | 7.3 | 7.3 | 7.4 | 7.4 | 7.4 | 7.3 | 7.3 | 7.3 | 7.4 | 7.3 | 7.5 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 | 7.5 | 7.5 | 7.3 | 7.3 | 7.3 |
| 2024年8月 | 7.3 | 7.3 | 7.3 | 7.3 | 7.3 | 7.4 | 7.4 | 7.4 | 7.4 | 7.3 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 | 7.3 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 | 7.5 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 | 7.6 | 7.4 |
| 2024年9月 | 7.4 | 7.4 | 7.3 | 7.4 | 7.4 | 7.5 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 | 7.3 | 7.3 | 7.5 | 7.5 | 7.4 | 7.5 | 7.5 | 7.3 | 7.4 | 7.4 | 7.6 | 7.5 | 7.4 | 7.4 | 7.3 | 7.3 | 7.4 | 7.4 | | |
| 2024年10月 | 7.4 | 7.4 | 7.4 | 7.3 | 7.4 | 7.4 | 7.3 | 7.3 | 7.4 | 7.3 | 7.5 | 7.4 | 7.4 | 7.4 | 7.4 | 7.5 | 7.3 | 7.4 | 7.3 | 7.2 | 7.4 | 7.4 | 7.5 | 7.5 | 7.5 | 7.4 | 7.5 | 7.5 | 7.4 | 7.5 | 7.4 | 7.4 |
| 2024年11月 | 7.4 | 7.4 | 7.4 | 7.3 | 7.4 | 7.4 | 7.4 | 7.4 | 7.5 | 7.3 | 7.3 | 7.3 | 7.3 | 7.3 | 7.3 | 7.3 | 7.4 | 7.3 | 7.3 | 7.2 | 7.3 | 7.3 | 7.3 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 | 7.3 | 7.4 | |
| 2024年12月 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2025年1月 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2025年2月 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2025年3月 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | |
|------|---------|-------|-----------|-----|---|-----|-----|-----|-----|
| 排水基準 | 5.8~8.6 | 測定方法: | JIS K0102 | 備考: | 大雄院放流口はpH計がないため、JX金属最終槽と日立鉱山最終槽のpHを排水量で算定した推定値 | max | 7.6 | ave | 7.4 |
| 申請値 | 5.8~8.6 | 測定者: | HMC製造1課員 | | 排出基準が超過した際は、茨城県へ報告する。(県条例;様式第9号の3 水質測定結果報告書を使用) | min | 7.2 | n | 244 |
| 自主基準 | 6.5~8.3 | 採水者: | HMC製造1課員 | | | | | | |